
WINDSTOP SMART (Hidrolik Rüzgar Paneli)























MEF Metal



ELEGANT




INNOVATIVE



Elegant Design

WindStop Smart has a completely minimalist, simple and stylish design thanks to the use of less aluminum material and the design where glass stands out.

MEF Metal



STYLISH



Easy to Use

It has a smart mechanism that you can raise up to 190 cm with a single touch.

Durable & Safe

Correctly designed strong aluminum posts. Steel bases connected to the posts at four points. 4mm + 4mm thick laminated glasses used in both fixed and moving glass make the system extremely safe.

Fast Installation

Panels are sent as ready-to-use prefabricated according to the application area dimensions. Just unpack and fix it to the ground.



EXTRAS

RAL colors can be applied.



Integrated Planter Support (Optional)

The WindStop retractable glass balustrade can be attached to a robust galvanized and electrostatic powder painted base designed that functions as an flower pot and counter weight against winds. Refurbish your restaurant, cafe and terrace with a new planter support for your wind breaker glass railing.





Wheeled Base (Optional)

Optional trolley support with brakes on each wheel for places where fastening is not possible onto the ground.

Windstop cannot be used with wheeled bases as wind barrier panel against wind. its suggested to be used as separator in indoor commercial areas and in windless outdoor places.

Reinforced Support (Optional)

Height adjustable floor fastening support.



Height Adjustable Glass Balustrade

MEF Metal

MEF Metal



Technical Specifications

Description

Height Adjustable Glass Railing, Balustrade, Windbrekaer

Principle of operation

Lifting by gas pressure

Material

Aluminium & Glass

Panel width

Min:80cm - Max:180cm

Panel height

110cm fixed bottom section / 190cm in elevated position

Glass thickness

Fixed glass (4+4mm), Liftable glass (4+4mm)

Fixing

Steel base plates are fixed and has pre drilled holes for anchor screws

Surface coating

RAL Powder Coated 9010 White / 9005 Black / 7016 Anthracite Grey / 9006 Aluminium Grey are standard colors. Other RAL colors are also available.

Assembly

WindStop® panels are delivered ready-assembled

Weight

Standard panel 110cm x 150cm = 70Kg

Manufactured by MEF Metal Turkey

www.mefmetal.com.tr

11